



## MATERIAL SAFETY DATA SHEET

<b>SECTION I: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</b>	
<b>PRODUCT IDENTITY:</b> No-Ox-I'd Grease "A", C&D Part Nos. RG -19, 25, 26	<b>MANUFACTURER NAME:</b> Sanchem, Inc.  <b>ADDRESS:</b> 1600 South Canal Street Chicago, Illinois 60616  <b>TELEPHONE:</b> (312) 733-6100 <b>EMERGENCY:</b> (312) 733-6100
<b>SUPPLIER NAME:</b> C & D Technologies, Inc. <b>ADDRESS:</b> 1400 Union Meeting Road P. O. Box 3053 Blue Bell, PA 19422-0858	
<b>TELEPHONE:</b> (215) 619-2700	
<b>24 HOUR EMERGENCY TELEPHONE :</b> (CHEM TEL) 1-800-255-3924	

<b>SECTION II: COMPOSITION / INFORMATION ON INGREDIENTS</b>				
<b>HAZARDOUS COMPONENT</b>				
	CAS#	OSHA PEL	ACGIH TLV	% BY WEIGHT
<b>Petroleum Wax</b>	64742-61-6	N/A	N/A	85%
<b>Light Napthenic Oil</b>	64741-52-2	N/A	N/A	15%
SECTION 313 (40 CFR 372) LISTED TOXIC CHEMICALS ARE PRECEDED BY AN *.				

<b>SECTION III: HAZARDS IDENTIFICATION</b>		
<b>Rating Codes</b>	0=Insignificant	1=Slight
	2=Moderate	3=High
	4=Extreme	
<b>HMIS RATING</b>	Health: 0	Reactivity: 1
	Flammability: 0	Other: 0
<b>NFPA RATING</b>	Health: 0	Reactivity: 1
	Flammability: 0	Other: 0

**SECTION IV: FIRST AID MEASURES****Skin Contact:** May cause minor skin irritation. Wash well with soap and water.**Eye Contact:** Flush with water for 15 minutes, consult a Physician.**Ingestion:** Induce vomiting, seek medical attention immediately.**SECTION V: FIREFIGHTING MEASURES****FIRE AND EXPLOSIVE PROPERTIES:****Flash Point:** 450 F (C. O. C.)**EXTINGUISHING MEDIA:** Dry Chemical, Sand or Foam**Flammable Limits** LEL: 0.9% UEL: 6.0%**SPECIAL FIREFIGHTING PROCEDURES:** None**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None**SECTION VI: ACCIDENTAL RELEASE MEASURES**

DOES NOT APPLY

**SECTION VII: HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING AND USE:**

If material is spilled: Scoop up spill and store in sealed drums, wash spill area with detergent and water.

**STORAGE:** Store in cool, dry area away from flames, sparks and oxidizers.**SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION****VENTILATION:** N/A**RESPIRATORY PROTECTION:** Not Required**EYE WEAR:** Safety Goggles**GLOVES:** Rubber**WORK PRACTICES:** Wash hands before eating.**OTHER PROTECTIVE CLOTHING:** Not Required**SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES****BOILING POINT:** 450 F**SPECIFIC GRAVITY:** (Water = 1)0.86**MELTING POINT:** 140 - 150 F**VAPOR PRESSURE:** N/A**EVAPORATION RATE:** NA**VAPOR DENSITY:** N/A**SOLUBILITY:** (Water : Insoluble) **APPEARANCE / ODOR:** dark brown firm grease, odorless**SECTION X: STABILITY AND REACTIVITY****STABILITY:** Stable**CONDITIONS TO AVOID:** Open Flame or Excessive Heat**INCOMPATIBILITY:** (Material to avoid) Strong oxidizers**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** None

**HAZARDOUS POLYMERIZATION:** Will not occur.

**SECTION XI: TOXICOLOGICAL INFORMATION**

**CARCINOGENICITY:** None known at this time

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** None Known

**SECTION XII: ECOLOGICAL INFORMATION**

NOT APPLICABLE

**SECTION XIII: DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** Incineration or reclaim Consult Federal, State and Local regulations.

RCRA Waste Disposal No.: N/A

**SECTION XIV: TRANSPORT INFORMATION**

NOT APPLICABLE

**SECTION XV: REGULATORY INFORMATION**

NOT APPLICABLE

**SECTION XVI: OTHER INFORMATION**

The information herein is given in good faith, but no warranty, expressed or implied is made.

MSDS Preparation/Review Date: 10/18/2010    Revision Number: 18  
Prepared By: W. Kozlowski