

C&D TECHNOLOGIES, INC.

Power Solutions

MATERIAL SAFETY DATA SHEET

SECTION I: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT IDENTITY: No-Ox-I'd Grease "A", C&D Part Nos. RG -19, 25, 26	MANUFACTURER NAME: Sanchem, Inc. ADDRESS: 1600 South Canal Street Chicago, Illinois 60616 TELEPHONE: (312) 733-6100 EMERGENCY: (312) 733-6100
SUPPLIER NAME: C & D Technologies, Inc. ADDRESS: 1400 Union Meeting Road P. O. Box 3053 Blue Bell, PA 19422-0858 TELEPHONE: (215) 619-2700	
24 HOUR EMERGENCY TELEPHONE : (CHEM TEL) 1-800-255-3924	

SECTION II: COMPOSITION / INFORMATION ON INGREDIENTS				
HAZARDOUS COMPONENT				
	CAS#	OSHA PEL	ACGIH TLV	% BY WEIGHT
Petroleum Wax	64742-61-6	N/A	N/A	85%
Light Napthenic Oil	64741-52-2	N/A	N/A	15%
SECTION 313 (40 CFR 372) LISTED TOXIC CHEMICALS ARE PRECEDED BY AN *.				

SECTION III: HAZARDS IDENTIFICATION		
Rating Codes	0=Insignificant	1=Slight
	2=Moderate	4=Extreme
	3=High	
HMIS RATING	Health: 0	Reactivity: 1
	Flammability: 0	Other: 0
NFPA RATING	Health: 0	Reactivity: 1
	Flammability: 0	Other: 0

SECTION IV: FIRST AID MEASURES**Skin Contact:** May cause minor skin irritation. Wash well with soap and water.**Eye Contact:** Flush with water for 15 minutes, consult a Physician.**Ingestion:** Induce vomiting, seek medical attention immediately.**SECTION V: FIREFIGHTING MEASURES****FIRE AND EXPLOSIVE PROPERTIES:****Flash Point:** 450 F (C. O. C.)**EXTINGUISHING MEDIA:** Dry Chemical, Sand or Foam**Flammable Limits** LEL: 0.9% UEL: 6.0%**SPECIAL FIREFIGHTING PROCEDURES:** None**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None**SECTION VI: ACCIDENTAL RELEASE MEASURES**

DOES NOT APPLY

SECTION VII: HANDLING AND STORAGE**PRECAUTIONS FOR SAFE HANDLING AND USE:**

If material is spilled: Scoop up spill and store in sealed drums, wash spill area with detergent and water.

STORAGE: Store in cool, dry area away from flames, sparks and oxidizers.**SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION****VENTILATION:** N/A**RESPIRATORY PROTECTION:** Not Required**EYE WEAR:** Safety Goggles**GLOVES:** Rubber**WORK PRACTICES:** Wash hands before eating.**OTHER PROTECTIVE CLOTHING:** Not Required**SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES****BOILING POINT:** 450 F**SPECIFIC GRAVITY:** (Water = 1)0.86**MELTING POINT:** 140 - 150 F**VAPOR PRESSURE:** N/A**EVAPORATION RATE:** NA**VAPOR DENSITY:** N/A**SOLUBILITY:** (Water : Insoluble) **APPEARANCE / ODOR:** dark brown firm grease, odorless**SECTION X: STABILITY AND REACTIVITY****STABILITY:** Stable**CONDITIONS TO AVOID:** Open Flame or Excessive Heat**INCOMPATIBILITY:** (Material to avoid) Strong oxidizers**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** None

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION XI: TOXICOLOGICAL INFORMATION

CARCINOGENICITY: None known at this time

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None Known

SECTION XII: ECOLOGICAL INFORMATION

NOT APPLICABLE

SECTION XIII: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Incineration or reclaim Consult Federal, State and Local regulations.

RCRA Waste Disposal No.: N/A

SECTION XIV: TRANSPORT INFORMATION

NOT APPLICABLE

SECTION XV: REGULATORY INFORMATION

NOT APPLICABLE

SECTION XVI: OTHER INFORMATION

The information herein is given in good faith, but no warranty, expressed or implied is made.

MSDS Preparation/Review Date: 3/1/2010 Revision Number: 17
Prepared By: W. Kozlowski